










• ZigBoat[™] is an innovative wireless system for monitoring and interacting with your boat either remotely or while on board





Wireless, cloudless, uniqueness.

BOAT CONTROL AT YOUR FINGERTIPS





Wireless, cloudless, uniqueness.

Wireless

- No cables needed
- All sensors are wireless
- ZigBee[®] is the wireless communication technology used for the sensors






ZigBee[®] vs. Wi-Fi[®] and Bluetooth[®]

Features	2	Wifi	*
Battery life	3 to 5 Years	Weeks	Months
Network size	Unlimited	32	up to 7 devices
Interference with 2.4 GHz wireless technologies	Low	High	Medium
<i>Co-existence with 2.4 GHz wireless technologies</i>	High	Low	Medium
Adaptive Network flexibility	High	No	No
Network Topology	Mesh	Star	Star



KEY POINTS:

 Direct, encrypted and real-time peer-to-peer connection between your mobile device and ZigBoat[™]





KEY POINTS: • No cloud Service

• No additional fee

• No Privacy Policy hassle



How can you insist on these ZigBoat keypoints?











ZigBoat[™] USB DONGLE

- With the optional 3G USB dongle, you can
- connect the Gateway to internet and/or
- ✓ receive SMS messages to defined phone numbers when an alarm is triggered







KEY POINTS:

- The App can manage unlimited additional Gateways
- ZigBoat can be expanded with unlimited additional sensors









o additional sensors



GLVS100 VIDEO SURVEILLANCE Wi-Fi HD IP security camera allows you to monitor the area remotely wherever you are and at any time, ensuring safety and peace of mind.

GLOMET

ZB211 WIRELESS GPS Tracks boat location and movement using a real time, direct and 1-to-1 encrypted connection to ensure 100% privacy and safety. For indoor and outdoor installation. Glomex patent pending.



ZB210 **3G/SMS USB DONGLE** Allows you to receive SMS notifications and/or to connect the ZigBoat[™] gateway to the internet for push notifications on your Zigboat[™] App (SIM Card not included).



ZB209 SHORE POWER SENSOR Allows you to instantly switch on and off the shore power (or other power sources) remotely. It works at 230 Vac.





o additional sensors



ZB207 SMART PLUG - 230 VAC Allows you to switch on and off electrical devices remotely.

ZB206 **MOTION SENSOR** Detects movements on your boat and immediately send you push notifications.

ZB205 **PORTHOLE/DOOR SENSOR** Will send you alerts in case of opening and closing on door and portholes on your boat.



ZB204 **SMOKE ALARM SENSOR** You will be instantly notified of smoke or fire. Moreover, the sensor has a built-in siren that will sound an alarm in case of smoke detection.





o additional sensors



ZB203 HEAT ALARM SENSOR Detects both rapid heat rise and absolute heat levels, and alerts you if a critical event occurs, both with the built-in siren and send you push notifications.

ZB202 BILGE FLOOD SENSOR Sends you push notifications if the boat is taking on water. Moreover, the Bilge Flood Sensor has a built-in siren that will sound an alarm when water is detected..



ZB201 BATTERY SENSOR Monitors the battery power bank voltage and sends you push notifications if it drops below a fixed threshold. It works both for 12V and 24V battery power banks.



ZB100 GATEWAY It is the core module of the ZigBoat[™] system. It's an open platform that can be integrated with unlimited ZigBoat[™] additional sensors and features. If connected to the internet sends you push notifications on your mobile device.





o additional features coming soon



GEOFENCING Tracks your boat and send notification when it's out of the set range.



ANCHOR WATCH GPS positioning allows detection if your anchor starts to drag.



FLEET TRACKING Tracks your fleet using a direct, encrypted and real-time connection to ensure 100% privacy and security.





ZigBoat[™] mobile App



• Take the control of your boat in your hands







ZigBoat[™] mobile App Adding the Gateway

- Scan the QR code on the bottom of the Gateway, then it is activated in your ZigBoat™ mobile App
- The QR code contains all the information about the Gateway configuration and the secure one-to-one remote connection



• The gateway will appear in the Gateway list on your mobile device and will be ready to use



ZigBoat[™] mobile App Tabs

- There are 5 tabs in the mobile App:
 - o Overview

• Device List

o SMS


o Info

o Settings





ZigBoat[™] mobile App Overview tab





ZigBoat[™] mobile App Device list tab

• To manually add a sensor in the Device List type the Serial Number of the Device in the EUI/Serial No column


	=		ZigBoat	_		
	Cverview Devic	e list SMS	Info Settings			
	Device list					
	Device Name			EUI / Serial No		
	Flood sensor (Flood #1)			0015BC00330002B3	×	
	Battery sensor (Battery bank #1)	Custom	ize your	0015BC001E0032D0	×	
/pe here	Heat Alarm sensor (Heat #1)			0015BC0034000276	×	
ne Serial	Portholes/Doors sensor (Porthole #2	5611501	name	0015BC001E00333B	×	
	Motion sensor (Motion #1)			0015BC001A006F9F	×	
imber of	Smart Plug (Plug #1)			0015BC002F00105A	×	
e sensor	Smoke Alarm sensor (Smoke #1)			0015BC00310018Ag	×	Click to add
C 3CH301	Portholes/Doors sensor (Porthole #1)			0015BC001E002BA4	×	
L	Shore power sensor (Shore power #1)		$\mathbf{>}$	0015BC0024000315	×	
	ZigBee Device EUI / Serial No Se	ensor Name	Add Device			



ZigBoat[™] mobile App SMS tab

• Sends SMS mesages up to 5 GSM numbers

• Enable/disable SMS notifications by sensor type






ZigBoat™ mobile App Info tab

• When the status of a sensor changes,

ZigBoat™ informs you with a Push Notification and/or SMS to your mobile devices






ZigBoat[™] mobile App Settings tab

• There are 3 menus in the Settings tab:

WiFi Settings

d ♥	ZigBoat	* 80%
Z Overview	Device list GPS GSM Info Settings	
Config		
coring		
WI-F) Settings STA Mod	e Pirmene Update	
Wi-Fi Settings		
SSID.		
none psk psk2		
Modify WI-FI Settings		
-		

Firmware Update



Station Mode

			22.38 CalgBoat	8 885 8
Con	fig			
witte	kanga	STA Mode. Filmware Update		
STA	Mode			
AUTO	MODE: sta			
SSID	COPTION: Clonex_we Scan	68out	Ferraria	
SSID	Clonex_we	Namo	Encryption	
SSID	Clonex_we	Namo		
SSID	Clonex.see	Namo Genec, wellass: 25%	ns	
SSID.	Clonex, we	Namo Gemex.ve@box: 435 spakiliki.szesocesporospiAE 107	no no	