

PRODUCT BASIC INFORMATION

OCEANLINK NAVIGATION APPARENT WIND ANGLE GAUGE - MAGNIFIED

Best Performance in Outdoor Environments



OCEANLINK CLASSIC NAVIGATION

ART NR: A2C1957390001

Precision CAN Instrumentation for Leisure Boats

KEY FEATURES

- ▼ NMEA 2000
- ▼ Anti-fog double layer plastic lens
- ▼ Protection rating IP X7

The OceanLink Navigation product family consists of five high-quality gauges with a classic analog design and modern digital bus inputs. Compatible with the NMEA 2000® protocol standard, these products can be easily integrated into your vessel's system and can read information from any NMEA 2000® compatible sensor.

The OceanLink Apparent Wind Angle Gauge – Magnified displays wind direction on a specially designed scale that highlights the most crucial angles. Ideally used in combination with the standard wind angle gauge, this instrument makes precise readings easier.



TECHNICAL DATA


| | |
|-----------------------|--|
| Housing | Material: PC-FR |
| Bezel | Material: PC-FR (Black) |
| Operating Temperature | -20°C to 70°C |
| Storage Temperature | -40°C to 85°C |
| Operating Voltage | 12 VDC (Provided by NMEA Backbone) |
| Protection Class | IEC60945 exposed equipment IP X7 front and rear |
| Approval | CE, UKCA, RoHS, NMEA2000® |
| Data Input | NMEA2000 |




CONNECTOR

M12-5Pin

| Pin | Signal |
|-----|-------------|
| 1 | Shield |
| 2 | Power (12V) |
| 3 | GND |
| 4 | CAN-High |
| 5 | CAN-Low |



DIMENSIONS



NMEA 2000 MESSAGES

| Description | PGN |
|-------------|--------|
| Wind Data | 130306 |

OUTDOOR INSTRUMENTATION ENGINEERED IN SWITZERLAND

Veratron AG / Industriestrasse 18 / 9464 Rüthi / Switzerland
T +41 71 7679 111 / info@veratron.com / [veratron.com](https://www.veratron.com)

The information provided in this brochure contains only general descriptions or performance characteristics, which do not always apply as described in case of actual use or which may change as a result of further development of the products. This information is merely a technical description of the product. It is not meant or intended to be a special guarantee for a particular quality or particular durability. An obligation to provide the respective characteristics shall only exist if expressly agreed in the terms of contract. We reserve the right to make changes in availability as well as technical changes without prior notice.
Veratron AG / English © 2024